

# Server Based Computing made by HOB

**Integration of HOBLink JWT  
in different structures**


Swen Baumann  
Product Manager, 9/25/03



**HOB**  
SOFTWARE

# HOBLink JWT ... in a workgroup


Choose  
HOBLink JWT  
on HTML page



**HOB**  
SOFTWARE

# HOBLink JWT ... in a workgroup


Download of  
HOBLink JWT



**HOB**  
SOFTWARE

# HOBLink JWT ... in a workgroup


Connection to  
WTS



**HOB**  
SOFTWARE

# HOBLink JWT ... in a workgroup


Log on and  
access to the  
application



**HOB**  
SOFTWARE

# HOBLink JWT ... with a terminal server farm

Terminal server farm  
with variously  
equipped WTS






**HOB**  
SOFTWARE

# HOBLink JWT ... with a terminal server farm

Terminal server farm  
with different installed  
WTS

HOBLink  
JWT



Search servers via broadcast  
or server list.  
Selection of the server  
according to the configuration.




HOB  
SOFTWARE


# HOBLink JWT ... with a terminal server farm

Terminal server farm  
with different installed  
WTS

HOBLink  
JWT



User: Smith



Direct connection to a  
disconnected session.

The same procedure for  
application publishing.




HOB  
SOFTWARE



# HOBLink JWT ... over the Internet


Terminal server farm  
behind a firewall



HOB  
SOFTWARE

# HOBLink JWT ... over the Internet


Terminal server farm  
behind a firewall



**HOB**  
SOFTWARE

# HOBLink JWT ... over the Internet

Several Web Secure  
Proxies to increase  
reliability




HOBLink JWT randomly  
selects the Web Secure  
Proxies



**HOB**  
SOFTWARE

# HOBLink JWT ... in combination with SOCKS proxies


Internet connection  
via SOCKS proxy



HOB  
SOFTWARE

# HOBLink JWT ... in combination with SOCKS proxies + SSL

Internet connection  
via SOCKS proxy




HOBLink  
JWT

HOB  
SOFTWARE

# HOBLink JWT ... and tokens for authentication


Strong authentication  
with tokens



**HOB**  
SOFTWARE

# HOBLink JWT ... and tokens for authentication

Strong authentication  
with tokens



**HOB**  
SOFTWARE