

IBM PC 300PL

Highlights

Advanced Manageability

Managing your networked PCs has never been easier. IBM's Wake on LAN technology incorporated into a 10/100 integrated Ethernet controller and LANClient Control Manager software can boost productivity for both administrators and users.

Protection for your assets

IBM AssetCare includes an Enhanced Asset Information Area (on an EEPROM chip) recorded with system and enduser information, as well as features like laser-etching and registration of critical components, to provide a complete asset management solution.

•Power and performance

All models feature an Intel® Pentium® processor with MMX™ technology—with speeds up to 233MHz¹—integrated audio and powerful Matrox 3-D graphics, ensuring outstanding application response times.

· Easy to service and upgrade

An NLX-style motherboard and advanced chassis design make this PC a breeze to upgrade and maintain. Available as either a desktop or mini tower, the PC 300PL is ideal for any environment.

Total system solutions

IBM System Care can provide you with hardware, software, services and financing in a total, customized package with a single monthly payment.² The IBM PC 300PL is the system for mainstream business applications of today and tomorrow. Designed for enhanced network manageability and security, the IBM PC 300PL delivers on the IBM Promise of Value with innovative features that make system and asset management easier than ever before—so you can concentrate more on business. It has the performance you need, with room to grow, at a great value that will fit most budgets.



IBM Personal Computing Solution

Advanced Manageability

The IBM PC 300PL has been designed from the ground up to be easy to set up and administer, so customers can focus on their business, instead of on their PCs. IBM's Wake on LAN technology is built into the system's integrated 10/100 Ethernet controller, allowing network managers to efficiently schedule maintenance and software upgrades overnight or on weekends, even when the system has been powered off. The user can then turn on the computer and be instantly productive. The IBM PC 300PL is also optimized to take full advantage of popular management software tools such as IBM NetFinity, Intel LANDesk Client Manager® and IBM's LANClient Control Manager.

A unique combination of industry-standard features means that initial system setup can be as simple as plug-in-andgo. A network administrator can remotely format the hard drive, check and update the BIOS and CMOS, and download an operating system and software. A DMI-compliant manageability chip that monitors temperature, voltage and fan speed helps ensure reliable operation by notifying administrators of potential failures.

Protection for your assets

IBM AssetCare represents the latest in system security and data protection capabilities. Laser-etching of memory DIMMs and microprocessors ensures that the component serial numbers cannot be altered. Owners can register their systems and components with a third party company, Retainagroup Ltd. (www.retainagroup.com.), which deters theft and improves the chances of recovering stolen assets. DMI-compliant system component information is recorded on an EEPROM chip, allowing administrators to accurately inventory critical components over the network, without visiting each machine. Chassis intrusion can be detected with the manageability chip, which sends an alert to the system administrator via NetFinity or LANDesk the next time the system is powered on. Each system is also bundled with IBM AntiVirus software, which helps to protect your critical business information.

Power and performance

Today's business applications are power hungry, and the IBM PC 300PL delivers the performance these applications need. All feature Intel Pentium processors with MMX technology, at speeds of up to 233MHz. The motherboard contains a high-performance 3-D Matrox video graphics controller that gives you rapid response times with video- or graphics-intensive applications. The integrated audio controller allows you to record and play high-quality sound on your PC. You can even dictate memos and documents to your computer with unprecedented accuracy using IBM VoiceType 3.0.3

Easy to service and upgrade

The new NLX-style motherboard and innovative chassis design incorporated into the IBM PC 300PL means that it has never been easier to upgrade or service your computers. The cover features easy-lift tabs, the CD-ROM and hard drive sit in a cage that flips up and out of the way, and the motherboard can slide out of its socket without the need to remove cables or adapter cards... this design will save you time and money.

Total System Solutions: IBM System Care

IBM System Care helps you make the most of your personal computer investment by combining a host of technologies, services and convenient financing, all for a single monthly payment. Our total-package financing includes a technology exchange option—a flexible and affordable way to update your IBM personal computer inventory after only two years. IBM System Care also offers a customized package of services from your IBM Business Partners and IBM, including specialized training, Recovery Services for End-Users and Recovery Services for PCs.⁴



	Desktop	Mini Tower
Model	IBM PC 300PL (6562)	IBM PC 300PL (6592)
Pentium processors w/MMX	166, 200 or 233MHz ¹	166, 200 or 233MHz
L2 cache	512KB pipeline burst	512KB pipeline burst
Memory std/max Memory type	16 or 32MB/384MB EDO (EDO ECC optional)	32MB/384MB EDO (EDO ECC optional)
DIMMS (total slots)	3	3
S.M.A.R.T. hard drives	2.5 or 4.2GB ⁵ EIDE or 2.1GB SCSI	2.5 or 4.2 GB EIDE or 4.3GB SCSI
Graphics controller	Matrox Mystique 220 (MGA-1164SG 3D) ⁶ 2MB/4MB	Matrox Mystique 220 (MGA-1164SG 3D) ⁶ 2MB/4MB
Std/max memory Form factor	4X4 Desktop	6X6 Mini Tower
Bays Bay configuration	4 bays: (1) 3.5" external; (1) 3.5" internal; (2) 5.25" external	6 bays: (2) 3.5" external; (2) 3.5" internal; (2) 5.25" externa
Slots	2 PCI, 1 ISA, 1 shared	3 PCI, 3 ISA
Serial/parallel ports	2/1	2/1
Universal Serial Bus ports	2	2
Network interface	Integrated 10/100 Ethernet with Wake on LAN	Integrated 10/100 Ethernet with Wake on LAN
CD-ROM (some models)	24X max (variable speed)	24X max (variable speed)
Audio	Integrated, supports Sound Blaster Pro applications	Integrated, supports Sound Blaster Pro applications
Preloaded operating system	Windows 95 or Windows NT	Windows 95 or Windows NT

Advanced Manageability

- •Wake on LAN 10/100 Ethernet
- Support for LANClient Control Manager⁷
- Flash BIOS over LAN
- Remote CMOS setup over LAN
- Software image distribution
- Shutdown over LAN
- IBM NetFinity
- Support for Intel LANDesk Configuration Manager⁸
- Intel LANDesk Client Manager
- CoSession software
- •DMI compliant
- •Plug and Play compliant

AssetCare tools & software

- •Enhanced Asset Information Area (EEPROM)²
- •S.M.A.R.T. hard drives
- •IBM AntiVirus software
- •DMI-compliant manageability chip
- •QA Plus Diagnostic software
- •Laser-etching and registration of components
- •Third-party registration with RetainaGroup Ltd.
- ConfigSafe software

Diskette drive

•3.5-inch 1.44MB standard

Standard I/O interfaces

- •Two USB ports
- Two serial ports (16550)
- •One enhanced parallel port (ECP/EPP)
- One 10/100 Ethernet RJ-45
- •Enhanced IDE controller supports 4 devices
- Audio in/out mini-jack
- Ultra Wide SCSI (selected models)

Productivity software and tools

- •Lotus SmartSuite license²⁹
- IBM HomePage Creator^{2,10}
- VoiceType 3.0³
- Microsoft NetMeeting³
- •Ready-to-Configure system support CD
- Microsoft Windows 95 CD (Recovery)

Audio

• Front panel volume control, microphone jack and headphone jack

Select IBM monitors

• IBM P-Series Monitors are recommended to take advantage of the integrated high-performance Matrox graphics controller.

Input devices

- 104-key keyboard
- IBM mouse

Select IBM Options

- •6.4GB Deskstar 5 ATA-3 hard drive 01K1279
- 4.33GB Ultrastar 2ES Wide Ultra SCSI hard drive 76H5815
- IBM PCI Token-Ring Wake on LAN adapter 86H1880
- •32MB ECC EDO DIMM 04K0081
- •64MB EDO DIMM 04K0078
- •ISA 56Kbps data/fax plug-and-play modem 01K1216
- Floorstand 76H3296

Customer Support and Service

- •Three-year limited warranty on parts and a one-year on-site labor warranty¹¹
- IBM International Warranty Service12
- •Toll-free technical support¹³
- •CoSession remote problem resolution
- •Electronic support services via fax, BBS, Internet and commercial online services

Standards supported

•FCC Part 15, Class A; UL 1950 First Edition; CSA c22.2 No. 950; ISO 9241 capable; ANSI S12.10; TUV-GS-ZH-1/618 NEMKO/SEMKO/DEMKO/EIF (SETI)/ OVE-EN60950; CE; BABT; NS/G/1234/J/ 100003

Need more information?

Reseller and general information

1800 IBM-2968 (U.S.) 1800 IBM-2255 (Canada)

IBM Fax Information Service

1800 IBM-3395 IBM PC Desktop Doc #11137 IBM PC Options Compatibility Matrix Doc #11245

World Wide Web (U.S. only) www.us.pc.ibm.com/desktop www.us.pc.ibm.com/options www.us.pc.ibm.com/asset www.us.pc.ibm.com/desktop/lccm

- MHz only measures microprocessor internal clock speed, not application performance. Many factors affect application performance
- Available in selected countries. Windows 95 models only.
- Formerly known as Workgroup Recovery and Disaster Equipment Quickship Services.
- GB equals one billion bytes when referring to hard drive capacity; accessible capacity may be less
- The Matrox MGA-1164SG is identical to the Matrox MGA-1064SG.
- Available for downloading at no additional charge at www.us.pc.ibm.com/lccm
- Must be purchased separately from Intel Corp.
- Diskettes and hard copy documentation available at additional charge.
- To be granted access to the IBM HomePage Creator, you need to be registered with IBM Internet Connection using a valid offer code. One offer code is shipped with the IBM PC 300PL
- "For terms and conditions or a copy of IBM's limited warranty, call 1 800 772-2227 in the U.S. or 1 800 465-7999 in Canada.
- ¹² International Warranty Service is available in those countries where IBM and IBM resellers sell and service desktop products. Registration required.
- ³Fees may apply. Excluding some holidays. Response times may vary.

IBM. SmartSuite, OS/2, NetFinity, IntelliStation, Wake on LAN, LANClient Control Manager, IBM AntiVirus and IBM HelpCenter are trademarks or registered trademarks of International Business Machines Corporation.

Microsoft, Windows, Windows NT, the Windows NT logo, Windows 95 and the Windows 95 logo are trademarks or registered trademarks of Microsoft Corporation

Intel, Pentium, LANDesk and MMX are trademarks or registered trademarks of Intel Corporation

Other trademarks or registered trademarks are the properties of their respective companies.

IBM reserves the right to alter specification and other product information without prior notice.

Made in Scotland, Japan, Mexico, Australia or Brazil or assembled in the U.S. of U.S. and non-U.S. components. References in this document to IBM services or products do not imply that IBM intends to make them available in all countries.

This publication was produced in the United States. IBM may not offer products, services or features discussed in this document in other countries, and the information is subject to change without notice. Consult your local IBM representative for information on the products, services and features available in your area









©International Business Machines Corporation Printed in the United States of America 8-97

All Rights Reserved



Printed on recycled paper containing 10% recovered post-consumer fiber.



G221-6067-00